

Juni 2022

NON-STICK forceps for non-traumatic bipolar coagulation

compatible to:

- Berchtold / Integra
- BOWA
- Erbe
- Martin
- Valleylab



Length	0,5 mm
	very fine
straight	
11 cm	90.924.11 (H-HF9612-11N)

NON-STICK forceps for non-traumatic bipolar coagulation



			
Length	0,5 mm pointed	1 mm blunt	2 mm large

straight

16 cm	90.920.16 (H-HF9612-16N)	90.924.16 (H-HF9613-16N)	90.926.16 (H-HF9614-16N)
19,5 cm	90.920.20 (H-HF9612-19N)	90.924.20 (H-HF9613-19N)	90.926.20 (H-HF9614-19N)
22 cm	90.920.22 (H-HF9612-22N)	90.924.22 (H-HF9613-22N)	90.926.22 (H-HF9614-22N)

NON-STICK forceps for non-traumatic bipolar coagulation



			
Length	0,5 mm pointed	1 mm blunt	2 mm large

angled

16 cm	90.923.16 (H-HF9622-16N)	90.927.16 (H-HF9623-16N)	90.929.16 (H-HF9624-16N)
19,5 cm	90.923.20 (H-HF9622-19N)	90.927.20 (H-HF9623-19N)	90.929.20 (H-HF9624-19N)
22 cm	90.923.22 (H-HF9622-22N)	90.927.22 (H-HF9623-22N)	90.929.22 (H-HF9624-22N)

NON-STICK forceps for non-traumatic bipolar coagulation




			
Length	0,5 mm pointed	1 mm blunt	2 mm large


bayonet

19,5 cm	90.940.20 (H-HF9632-19N)	90.944.20 (H-HF9633-19N)	90.946.20 (H-HF9634-19N)
---------	------------------------------------	------------------------------------	------------------------------------

NON-STICK forceps for non-traumatic bipolar coagulation




bayonet, angled up



max.
500
Vp



19,5 cm	90.945.20 (H-HF9653-19N)
---------	------------------------------------










bayonet, angled down

19,5 cm	90.951.20 (H-HF9643-19N)
---------	------------------------------------

Cables for bipolar forceps



Electrosurgical unit	Art.-No. / Length	Instrument
Erbe ACC / ICC T-Modell 	90.286.58 = 4 m	 "P-Type" angled
Berchtold/Integra Martin Aesculap 	90.287.58 = 4 m	
Valleylab 	90.287.38 = 4 m	
Erbe ACC / ICC T-Modell 	90.286.56 = 4 m	 "P-Type"
Berchtold/Integra Martin Aesculap 	90.287.56 = 4 m	
Erbe ACC / ICC T-Modell 	90.286.30 = 3 m 90.286.50 = 5 m	 Standard
Berchtold/Integra Martin Aesculap 	90.287.30 = 3 m 90.287.50 = 5 m	
Valleylab 	90.287.37 = 5 m	



= Packaging unit



= Max. temperature
in autoclave



= max. rated
voltage

Numerical Index

Art.-No./	Page	Art.-No.	Page
90.286.30	6	90.927.22	3
90.286.50	6	90.929.16	3
90.286.56	6	90.929.20	3
90.286.58	6	90.929.22	3
90.287.30	6	90.940.20	4
90.287.37	6	90.944.20	4
90.287.38	6	90.945.20	5
90.287.50	6	90.946.20	4
90.287.56	6	90.951.20	5
90.287.58	6		
90.920.16	2		
90.920.20	2		
90.920.22	2		
90.923.16	3		
90.923.20	3		
90.923.22	3		
90.924.11	1		
90.924.16	2		
90.924.20	2		
90.924.22	2		
90.926.16	2		
90.926.20	2		
90.926.22	2		
90.927.16	3		
90.927.20	3		