


Oktober 2019

## Bühler-ErgonoMIC


*Suction-/irrigation instruments for minimally invasive surgery*



## Bühler-ErgonoMIC

10 mm

Suction-/irrigation instruments for minimally invasive surgery



85.953.23

**ErgonoMIC Suction-/irrigation valve handle**  
Ø10mm, Luer-Lock irrigation inlet



85.953.21

**ErgonoMIC Suction-/irrigation valve handle**  
Ø10mm, conical irrigation inlet


Organizing matrix – all variations of cannulas can be combined ( **X** = standard / x = optional)

Suction-/irrigation valve	85.953.34 = Ø 5,0mm	85.953.35 = Ø 5,0mm	85.953.36 = Ø 5,0mm	85.953.37 = Ø 5,0mm	85.953.38 = Ø 5,0mm	85.953.44 = Ø 5,0mm	85.953.50 = Ø 5,0mm	85.953.45 = Ø 3,0mm	85.953.33 = Ø 10,0mm	85.953.39 = Ø 10,0mm	85.953.32 = Ø 10,0mm	85.953.65 = Ø 10,0mm
85.953.21	x	<b>X</b>	x	x	x	x	x	x	x	<b>X</b>	x	x
85.953.23	x	<b>X</b>	x	x	x	x	x	x	x	<b>X</b>	x	x

## Bühler-ErgonoMIC

**3 mm + 5 mm**


*Suction-/irrigation cannulas for minimally invasive surgery*




## Bühler-ErgonoMIC

10 mm


*Suction-/irrigation cannulas for minimally invasive surgery*




85.953.33 ErgonoMIC POOLE Ø 10mm x 330mm



85.953.39 ErgonoMIC Ø 10mm x 330mm, 6 x 4




85.953.32 ErgonoMIC Ø 10mm x 250mm, 6 x 4




85.953.65 ErgonoMIC Ø 10mm x 295mm, 6 x 4

### Spares:



85.953.00  
O-ring for 85.953.3X → 85.953.6X, 10 pcs/PE-bag




85.953.19  
Screw cap **golden** for 85.953.21/-23 with coil spring

## Bühler-ErgonoMIC

5 mm

Suction-/irrigation instruments for minimally invasive surgery



85.953.25

**ErgonoMIC Suction-/irrigation valve handle**  
Ø5mm, Luer-Lock irrigation inlet



85.953.24

**ErgonoMIC Suction-/irrigation valve handle**  
Ø5mm, conical irrigation inlet


Organizing matrix - all variations of cannulas can be combined ( **X** = standard / x = optional)

Suction-/irrigation valve	85.953.34 = Ø 5,0mm	85.953.35 = Ø 5,0mm	85.953.36 = Ø 5,0mm	85.953.37 = Ø 5,0mm	85.953.38 = Ø 5,0mm	85.953.44 = Ø 5,0mm	85.953.50 = Ø 5,0mm	85.953.45 = Ø 3,0mm	85.953.33 = Ø 10,0mm
85.953.24	x	<b>X</b>	x	x	x	x	x	x	x
85.953.25	x	<b>X</b>	x	x	x	x	x	x	x


## Bühler-ErgonoMIC

**3 mm + 5 mm**


*Suction-/irrigation cannulas for minimally invasive surgery*




85.953.34 ErgonoMIC POOLE Ø 5mm x 330mm, 8 x 5




85.953.35 ErgonoMIC Ø 5mm x 330mm, 4 x 4




85.953.36 ErgonoMIC Ø 5mm x 330mm, 4 x 1




85.953.37 ErgonoMIC Hydro-Dissect Ø 5mm




85.953.38 ErgonoMIC PUNCTION Ø 5mm, Ø1,2 x 21mm



85.953.44 ErgonoMIC Ø 5mm x 450mm, 4 x 4



85.953.50 ErgonoMIC Ø 5mm x 500mm, 4 x 4




85.953.45 ErgonoMIC Ø 3mm x 330mm, 4 x 1

## Bühler-ErgonoMIC


10 mm

*Suction-/irrigation cannulas for minimally invasive surgery*




85.953.33 ErgonoMIC POOLE Ø 10mm x 330mm

### Spares:



85.953.00

O-ring for 85.953.3X → 85.953.6X, 10 pcs/PE-bag



85.953.18

Screw cap **golden** for 85.953.24/-25 with coil spring

## **Bühler-ErgonoMIC**

*Suction-/irrigation instruments for minimally invasive surgery*

### **Numerical Index**

<b>Cat.-No.</b>	<b>Page</b>
85.953.00	4, 7
85.953.18	7
85.953.19	4
85.953.21	2
85.953.23	2
85.953.24	5
85.953.25	5
85.953.32	4
85.953.33	4, 7
85.953.34	3, 6
85.953.35	3, 6
85.953.36	3, 6
85.953.37	3, 6
85.953.38	3, 6
85.953.39	4
85.953.44	3, 6
85.953.45	3, 6
85.953.50	3, 6
85.953.65	4